NEW Hanwha Hybrid Floor

CRESCENDO

Advanced Waterproof Plank

THE Space Creat·r
Hanwha L&C

NEW Hanwha Hybrid Floor

CRESCENDO

Hanwha Crescendo collection presents real wood designs well suited for a variety of applications.
From traditional natural oak to unique vibrant woods, Crescendo is an elevation in your life style.



- Nano Ceramic Coating
- EIR Emboss
- Wear Layer
- High Definition PET-G Film
- Glass Fiber
- Compact Layer
- PC Core

Waterproof

Realistic wood designs with EIR emboss

Eco Friendly
- No Phthalate / Heavy-Metal / Formaldehyde
- Natural ingredients contained
- 100% Recyclable

Easy Clean / Anti Scratch / High Durability
- Special Surface Treatment (Nano Ceramic)

Multi - Use (Light Commercial / Residential)

Perfect Dimensional Stability

Easy Installation

EIR 19001

19002

19003

19004

19005



EIR 19006

19007

EIR 19008



EIR 19009

19010

EIR 19011



EIR 19012

※The pattern image may differ from the actual product.

www.hlcc.co.kr

Product Information

Construction	Luxury Waterproof Vinyl Plank with Click	
Finish	UV cured Nano Ceramic	
Wear Resistance	Light Commercial / Residential	
Width	178mm (7”)	
Length	1,220mm (48”)	
Total Thickness	7mm(2.76”)	
Wear Layer Thickness	0.51mm (20mil)	
Interlayer	G/F inserted roll vinyl top layer with PC core	
Edge	Micro Beveled	
Emboss	Registered(EIR), Textured	
Static Load Limit	PASS	ASTM F970
Resistance to Heat	PASS	ASTM F1514
Resistance to Light	PASS	ASTM F1515
Abrasion Resistance	PASS	ASTM D4060
Resistance to Fungi	Grade 0	ASTM G 21-13
Antimicrobial Activity	≥99.9%	ASTM E 2180
Resistance to Chemicals	PASS	ASTM F925
Color Fastness	Grade 4.5	AATCC 16.3
Slip Retardant	R10	DIN 51130
Phthalate	Non Detective	SGS
Heavy Metals	Non Detective	SGS

Application



Office	Resort	Hotel	Kindergarten	Restaurant

Packing Information

Box			Pallet			20ft Container		
Pcs	m^2	sqf	Box	m^2	sqf	Pallet	m^2	sqf
9	1.95	21	50	98	1,051	20	1,954	21,030
11.9kg/Net			596kg/Net			11,920kg/Net		

Test

Higher Definition Film



Pet-G Film | PVC Film

Abrasion Test



Taper : H22 / Cycle : 1,000

Moh’s Hardness Test



4H | 2H | 2H

THE Space Creator
Hanwha L&C

Headquarter 7F, Center1, 26, Eulji-ro 5-gil, Jung-gu, Seoul, Korea
Tel : 82-2-6364-7643, Fax : 82-2-6364-7608
e-mail : overseas_sales@hanwha.com

NEW Hanwha Hybrid Floor

CRESCENDO

EIR **19001**

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

19002

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

19003

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

19004

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

19005

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

EIR **19006**

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

19007

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

EIR **19008**

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

EIR **19009**

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

19010

178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor
CRESCENDO
EIR 19011
178mm(W) x 1,220mm(L) x 7mm(T)

NEW Hanwha Hybrid Floor

CRESCENDO

EIR **19012**

178mm(W) x 1,220mm(L) x 7mm(T)